



Wiadomości Lekarskie

Official journal of the Polish Medical Association



Memory of
dr Władysław
Biegański

VOLUME LXXIII, ISSUE 11, NOVEMBER 2020

Since 1928



ALUNA Publishing House

Wiadomości Lekarskie is abstracted and indexed in: PUBMED/MEDLINE, SCOPUS, EMBASE, INDEX COPERNICUS, POLISH MINISTRY OF SCIENCE AND HIGHER EDUCATION, POLISH MEDICAL BIBLIOGRAPHY

Copyright: © ALUNA Publishing House.

Articles published on-line and available in open access are published under Creative Commons Attribution-Non Commercial-No Derivatives 4.0 International (CC BY-NC-ND 4.0) allowing to download articles and share them with others as long as they credit the authors and the publisher, but without permission to change them in any way or use them commercially.

Wiadomości Lekarskie monthly journal

You can order the subscription for the journal from Wydawnictwo Aluna by:

prenumerata@wydawnictwo-aluna.pl
Wydawnictwo Aluna
Z.M. Przesmyckiego 29
05-510 Konstancin-Jeziorna
Poland

Place a written order first.

If you need, ask for an invoice.

Payment should be done to the following account of the Publisher:

account number for Polish customers (PLN):

82 1940 1076 3010 7407 0000 0000

Credit Agricole Bank Polska S. A., SWIFT: AGRIPPLR

account number for foreign customers (EURO):

57 2490 0005 0000 4600 7604 3035

Alior Bank S. A.: SWIFT: ALBPPLPW

Subscription of twelve consecutive issues (1-12):

Customers in Poland: 360 PLN/year

Customers from other countries: 320 EURO/year



Wiadomości Lekarskie

Editor in-Chief:

Prof. Władysław Pierzchała

Deputy Editor in-Chief:

Prof. Aleksander Sieroń

Statistical Editor:

Dr Lesia Rudenko

Managing Editor:

Agnieszka Rosa – amarosa@wp.pl

International Editorial Office:

Lesia Rudenko (editor) – l.rudenko@wydawnictwo-aluna.pl

Nina Radchenko (editor's assistant)

– n.radchenko@wydawnictwo-aluna.pl

Polish Medical Association (Polskie Towarzystwo Lekarskie):

Prof. Waldemar Kostewicz – President PTL

Prof. Jerzy Woy-Wojciechowski – Honorary President PTL

Prof. Tadeusz Petelenz

International Editorial Board – in-Chief:

Marek Rudnicki

Chicago, USA

International Editorial Board – Members:

Kris Bankiewicz	San Francisco, USA	George Krol	New York, USA
Christopher Bara	Hannover, Germany	Krzysztof Łabuzek	Katowice, Poland
Krzysztof Bielecki	Warsaw, Poland	Henryk Majchrzak	Katowice, Poland
Zana Bumbuliene	Vilnius, Lithuania	Ewa Małecka-Tendera	Katowice, Poland
Ryszarda Chazan	Warsaw, Poland	Stella Nowicki	Memphis, USA
Stanislav Czudek	Ostrava, Czech Republic	Alfred Patyk	Gottingen, Germany
Jacek Dubiel	Cracow, Poland	Palmira Petrova	Yakutsk, Russia
Zbigniew Gasior	Katowice, Poland	Krystyna Pierzchała	Katowice, Poland
Andrzej Gładysz	Wroclaw, Poland	Tadeusz Płusa	Warsaw, Poland
Nataliya Gutorova	Kharkiv, Ukraine	Waldemar Priebe	Houston, USA
Marek Hartleb	Katowice, Poland	Maria Siemionow	Chicago, USA
Roman Jaeschke	Hamilton, Canada	Vladyslav Smiiianov	Sumy, Ukraine
Andrzej Jakubowiak	Chicago, USA	Tomasz Szczepański	Katowice, Poland
Oleksandr Katrushov	Poltava, Ukraine	Andrzej Witek	Katowice, Poland
Peter Konturek	Saalfeld, Germany	Zbigniew Wszolek	Jacksonville, USA
Jerzy Korewicki	Warsaw, Poland	Vyacheslav Zhdan	Poltava, Ukraine
Jan Kotarski	Lublin, Poland	Jan Zejda	Katowice, Poland

Distribution and Subscriptions:

Bartosz Guterman prenumerata@wydawnictwo-aluna.pl

Graphic design / production:

Grzegorz Sztank

www.red-studio.eu

Publisher:

ALUNA Publishing House

ul. Przesmyckiego 29,

05-510 Konstancin – Jeziorna

www.wydawnictwo-aluna.pl

www.wiadomoscilekarskie.pl

www.wiadlek.pl

FOR AUTHORS

- The monthly "Wiadomości Lekarskie" Journal is the official journal of the Polish Medical Association. Original studies, review papers as well as case reports are published.
- The publication of the manuscript in "Wiadomości Lekarskie" is paid. The cost of publishing the manuscript is PLN 1,000 plus 23% VAT (for foreign authors: since July 2021 - 250 Euro). If the first author of the manuscript is a member of the Editorial Board or a team of journal reviewers, we do not charge a fee for printing the manuscript, and if she or he is the next co-author – the fee is PLN 500 plus 23% VAT. The publisher issues invoices. The fee should be paid after receiving positive reviews, and before publishing the manuscript. Membership of the Polish Medical Association with documented paid membership fees for the last 3 years is also the exempt from publication fee.
- Only papers in English are accepted for publication. The editors can help in finding the right person for translation or proofreading.
- Papers should be sent to the editor via the editorial panel (Editorial System), available on the journal's website at <https://www.wiadlek.pl>. In order to submit an article, free registration in the system is necessary. After registration, the author should follow the instructions on the computer screen.
- All editorial work is under control and using the editorial panel. This applies in particular to sending manuscripts, correspondence between the editor and author and the review process. In special cases, the editor may agree to contact outside the panel, especially in case of technical problems.
- Acceptable formats for individual elements of the article are as follows:
 - Content of the article – doc, docx, rtf, odt.
 - Tables – doc, docx, rtf, odt
 - Figures – JPG, GIF, TIF, PNG with a resolution of at least 300 dpi
 - Captions for figures and tables.
 These elements are sent to the editor separately using the editorial panel. References and article metadata such as titles, keywords, abstracts etc. are supplemented by the author manually in the editorial panel in appropriate places.
- The volume of original papers – including figures and references – must not exceed 21,600 characters (12 pages of typescript), and review papers – up to 28,800 characters (16 pages).
- The original manuscript should have the following structure: Introduction, Aims, Material and methods, Results, Discussion and Conclusions which cannot be a summary of the manuscript.
- When using abbreviations, it is necessary to provide the full wording at the first time they are used.
- In experimental manuscripts in which studies on humans or animals have been carried out, as well as in clinical studies, information about obtaining the consent of the Ethics Committee should be included.
- The Editorial Board follow the principles contained in the Helsinki Declaration as well as in the Interdisciplinary Principles and Guidelines for the Use of Animals in Research, Testing and Education, published by the New York Academy of Sciences Ad Hoc Committee on Animal Research. All papers relating to animals or humans must comply with ethical principles set out by the Ethics Committee.
- The abstract should contain 150-250 words. Abstracts of original, both clinical and experimental, papers should have the following structure: Aims, Material and methods, Results, Conclusions. Do not use abbreviations in the title or the abstract. The abstract is pasted or rewritten by the authors into the appropriate field in the application form in the editorial panel.
- Keywords (3-5) should be given according to MeSH (Medical Subject Headings Index Medicus catalogs – <http://www.nlm.nih.gov/mesh/MBrowser.html>). Keywords cannot be a repetition of the title of the manuscript.
- Illustrative material may be black and white or color photographs, clearly contrasting or drawings carefully made on a white background. With the exception of selected issues, the Journal is printed in shades of gray (black and white illustrations).
- The content of the figures, if present (e.g. on the charts), should also be in English
- Links to all tables and figures (round brackets) as well as references (square brackets) the author must place in the text of the article.
- Only references to which the author refers in the text should be included in the list of references ordered by citation. There should be no more than 30 items in original papers and no more than 40 items in review papers. Each item should contain: last names of all authors, first letters of first names, the title of the manuscript, the abbreviation of the journal title (according to Index Medicus), year, number, start and end page. For book items, please provide: author's (authors') last name, first letter of the first name, chapter title, book title, publisher, place and year of publication. It is allowed to cite websites with the URL and date of use of the article, and if possible the last names of the authors. Each literature item should have a reference in the text of the manuscript placed in square brackets, e.g. [1], [3-6]. Items should be organized as presented in Annex 1 to these Regulations.
- When submitting the article to the editor, the authors enclose a statement that the work was not published or submitted for publication in another journal and that they take full responsibility for its content, and the information that may indicate a conflict of interest, such as:
 - financial dependencies (employment, paid expertise, consulting, ownership of shares, fees),
 - personal dependencies,
 - academic and other competition that may affect the substantive side of the work,
 - sponsorship of all or part of the research at the stage of design, collection, analysis and interpretation of data, or report writing.
- The authors in the editorial panel define their contribution to the formation of scientific work according to the following key:
 - Work concept and design
 - Data collection and analysis
 - Responsibility for statistical analysis
 - Writing the article
 - Critical review
 - Final approval of the article.
- In the editorial panel along with the affiliation, the author also gives her or his ORCID number.
- The Journal is reviewed in double, blind review mode. The submitted papers are evaluated by two independent reviewers and then qualified for publishing by the Editor-in-Chief. Reviews are anonymous. The authors receive critical reviews with a request to correct the manuscript or with a decision not to qualify it for publishing. The procedure for reviewing articles is in line with the recommendations of the Ministry of Science and Higher Education contained in the paper "Good practices in review procedures in science" (Warsaw 2011). Detailed rules for dealing with improper publishing practices are in line with COPE guidelines. The publishing review rules are in the Review Rules section.
- Each manuscript is subject to verification in the anti-plagiarism system.
- Manuscripts are sent for the author's approval. The author's corrections should be sent within the time limit indicated in the system. No response within the given deadline is tantamount to the author's acceptance of the submitted material. In special cases, it is possible to set dates individually.
- Acceptance of the manuscript for publishing means the transfer of copyright to the Aluna Publishing House (Aluna Anna Łuczynska, NIP 5251624918).
- Articles published on-line and available in open access are published under Creative Commons Attribution-Non Commercial-No Derivatives 4.0 International (CC BY-NC-ND 4.0) allowing to download articles and share them with others as long as they credit the authors and the publisher, but without permission to change them in any way or use them commercially.
- The authors receive a free PDF of the issue in which their manuscript is enclosed, and on request – a printed copy. The printed copy is sent to the address indicated by the authors as the correspondence address.
- Manuscripts not concordant with the above instructions will be returned to be corrected.
- The editors do not return papers which have not been commissioned.
- The editors take no responsibility for the contents of the advertisements.

CONTENTS

ORIGINAL ARTICLES

- Aidyn G. Salmanov, Taras G. Voitok, Igor V. Maidannyk, Serhiy Yu. Vdovychenko, Olena O. Chorna, Yurii L. Marushchenko, Olga O. Lugach
EPISIOTOMY INFECTIONS IN THE PUERPERIUM AND ANTIMICROBIAL RESISTANCE OF RESPONSIBLE PATHOGENS IN UKRAINE 2325
- Vladyslav A. Smiiianov, Oleksii V. Lyulyov, Tetyana V. Pimonenko, Tetyana A. Andrushchenko, Serhii Sova, Natalia V. Grechkovskaya
THE IMPACT OF THE PANDEMIC LOCKDOWN ON AIR POLLUTION, HEALTH AND ECONOMIC GROWTH: SYSTEM DYNAMICS ANALYSIS 2332
- Igor S. Brodetskyi, Olena O. Dyadyk, Mykhailo S. Myroshnychenko, Valentina I. Zaritska
MORPHOLOGICAL CHARACTERISTICS OF PLEOMORPHIC ADENOMAS OF SALIVARY GLANDS (ANALYSIS OF THE SURGICAL MATERIAL) 2339
- Zuzanna Nowak, Vivian Carbogno Barnabe, Beata Łabuz-Roszak
KNOWLEDGE OF YOUNG ADULTS ABOUT NEURODEGENERATIVE DISEASES AND NEUROPROTECTIVE FOOD 2345
- Olha A. Obukhova, Alexander V. Ataman, Maryna M. Zavadzka, Svetlana M. Piven, Zoia M. Levchenko
THE ASSOCIATION OF VITAMIN D RECEPTOR GENE (VDR) POLYMORPHISMS WITH HIGH BLOOD PRESSURE IN STROKE PATIENTS OF UKRAINIAN POPULATION 2349
- Roman O. Plakhotnyi, Iryna V. Kerechanyan, Larysa Ya. Fedoniuk, Tetiana I. Trunina, Lylia M. Yaremenko
COMPARATIVE MORPHOLOGY OF THE PIG'S RECTUM AND HUMAN'S RECTUM VIA 3D RECONSTRUCTION 2354
- Tetiana S. Gruzieva, Volodymyr V. Korolenko, Hanna V. Inshakova
ACTUAL PROBLEMS OF DERMATOVENEROLOGICAL SERVICE DEVELOPMENT: OPINION OF SERVICE PROVIDERS 2358
- Veronika M. Dudnyk, Olha O. Zborovska, Yuliiia V. Vyzhga, Vladymyr P. Popov, Valentyn S. Bakhnivskyi
INSTRUMENTAL MARKERS OF THE RIGHT VENTRICLE FUNCTIONAL CONDITION WITH TISSUE DOPPLER IN CHILDREN WITH TETRALOGY OF FALLOT AFTER SURGICAL CORRECTION AND THEIR CONNECTION WITH VALVULAR FUNCTION OF PULMONARY ARTERY 2364
- Victoria V. Orlova, Lidiia V. Suslikova, Olena A. Orlova, Dmytro V. Dmytriienko, Iryna V. Malysheva
ASSISTED REPRODUCTIVE TECHNOLOGY EFFICIENCY IMPROVEMENT OF TUBAL-PERITONEAL INFERTILITY 2370
- Marine A. Georgiyants, Olena V. Vysotska, Nataliia P. Seredenko, Tatiana V. Chernii, Hanna N. Strashnenko, Petro D. Haiduchyk
STUDY OF THE STATE OF STRESS-IMPLEMENTING SYSTEMS IN ABDOMINAL DELIVERY DEPENDING ON ANESTHETIC TECHNIQUES 2378
- Grygoriy P. Griban, Mykhailo S. Myroshnychenko, Pavlo P. Tkachenko, Tetiana Ye. Yavorska, Nataliia Ye. Kolesnyk, Inesa V. Novitska, Igor A. Verbovskyi
BAD HABITS AND THEIR IMPACT ON STUDENTS' HEALTH 2386
- Olena O. Fastovets, Ivan V. Masheiko, Anna Y. Lucash
EVALUATION OF BONE RESORPTIVE POTENTIAL IN THE TREATMENT OF GENERALIZED PERIODONTITIS 2396
- Maciej Furman, Katarzyna Dubas-Jakóbczyk, Christoph Sowada
ASSESSMENT OF THE FINANCIAL STANDING OF SELECTED RESEARCH INSTITUTES SUPERVISED BY THE MINISTER OF HEALTH IN 2014-2018 2403
- Natalia I. Makieieva, Oksana O. Morozova, Kateryna K. Iarova, Yulianna S. Pryima, Viktoriia O. Golovachova, Liudmyla A. Vygivska
URINARY EXCRETION OF TGF- β 1 AND VEGF IN CHILDREN WITH VESICoureTERAL REFLUX 2411
- Olena O. Taranovska, Volodymyr K. Likhachov, Liudmyla M. Dobrovol'ska, Oleg G. Makarov, Yanina V. Shymanska
THE ROLE OF SECRETING FUNCTION OF DECIDUA IN THE DEVELOPMENT OF COMPLICATIONS OF GESTATION PROCESS IN PREGNANT WOMEN WITH A PAST HISTORY OF CHRONIC ENDOMETRITIS 2416
- Olena S. Shcherbinska, Gennadiy O. Slabkiy, Viktoriia Y. Bilak-Lukyanchuk
CURRENT ISSUES ON PROVISION OF SERVICES TO WOMEN DURING PREGNANCY AND POSTPARTUM PERIOD BY FAMILY DOCTORS 2421
- Sergii V. Shevchuk, Yuliia S. Sehed, Inna P. Kuvikova, Olena V. Shevchuk, Olena Y. Galiutina
THE EFFECT OF ATORVASTATINUM IN THE TREATMENT OF PATIENTS WITH RHEUMATOID ARTHRITIS 2427
- Oleksii Ur. Pavlenko, Iryna G. Strokina, Tetiana I. Drevytska, Liudmyla M. Sokurenko, Viktor E. Dosenko
ASSOCIATION BETWEEN SINGLE POLYMORPHISM IN THE LOCUS RS17216473 OF THE GENE THAT ENCODES 5-LIPOXYGENASE-ACTIVATING PROTEIN AND RISK OF MYOCARDIAL INFARCTION 2431
- Natalia Y. Osovsk, Iryna I. Knyazkova, Natalia V. Kuzminova, Yulia V. Mazur, Natalia V. Shchepina
THERAPEUTIC APPROACHES TO THE CORRECTION OF COGNITIVE IMPAIRMENT IN PATIENTS WITH HYPERTENSION AND TYPE 2 DIABETES 2438
- Valeriy I. Kalashnikov, Alexander N. Stoyanov, Oleksandr R. Pulyk, Iryna K. Bakumenko, Viacheslav Z. Skorobrekha
FEATURES OF CEREBROVASCULAR REACTIVITY IN PATIENTS OF YOUNG AGE WITH MIGRAINE 2443

Vladyslav A. Smiiarov, Serhii A. Rudenko, Serhii V. Potashev, Serhii V. Salo, Andrii Y. Gavrylyshyn, Elena V. Levchyshina, Liliana M. Hrubyak, Elena K. Nosovets, Evgenii A. Nastenkov, Anatolii V. Rudenko, Vasiliiv V. Lazoryshynets SPECKLE TRACKING DOBUTAMINE STRESS ECHOCARDIOGRAPHY DIAGNOSTIC ACCURACY IN PRIMARY CORONARY ARTERIES DISEASE DIAGNOSIS	2447
Liudmyla V. Piasetska, Mykhailo A. Luchynskiy, Ruslan V. Oshchypko, Vitaliy I. Rozhko, Vitaliy M. Luchynskiy EVALUATION OF THE TREATMENT EFFECTIVENESS OF GINGIVITIS BY THE ORAL DYSBIOSIS INDEX IN PATIENTS WITH DIFFERENT REACTIONS OF PSYCHOPHYSIOLOGICAL MALADAPTATION	2457
Sergii V. Tukaiev, Tetiana V. Vasheka, Olena M. Dolgova, Svitlana V. Fedorchuk, Borys I. Palamar ALEXITHYMIA FORMATION AS AN ADAPTATION TO EVERYDAY STRESS IS DETERMINED BY THE PROPERTIES OF THE NERVOUS SYSTEM	2461
Volodymyr B. Goshchynsky, Bogdan O. Migenko, Svitlana S. Riabokon PATHOPHYSIOLOGICAL AND ATHOMORPHOLOGICAL ASPECTS OF RELAPSE OF VARICOSE VEINS AFTER ENDOVASCULAR LASER VEIN COAGULATION	2468
Valeriya L. Orlenko, Maria H. Kravchuk ROLE OF PROINFLAMMATORY CYTOKINES IN PATHOGENESIS OF ARTHROPATHIES IN PATIENTS WITH DIABETES MELLITUS	2476
Alina S. Koval, Lena L. Davtian, Anna A. Drozdova, Liudmyla A. Naumova MARKETING AUDIT OF UKRAINIAN PHARMACEUTICAL MARKET FOR LOCAL TREATMENT ACNE AND DEMODICOSIS	2482
Valentyna K. Sierkova, Valentyna O. Romanova, Anastasiia A. Lilevska, Olena O. Savytska THE ROLE OF LIPOPROTEIN (A) AND PREGNANCY ASSOCIATED PLASMA PROTEIN A IN DIAGNOSTICS CORONARY HEART DISEASE IN PATIENTS WITH CHRONIC OBSTRUCTIVE PULMONARY DISEASE	2489
Liliya S. Babinets, Nataliia A. Melnyk, Olga I. Kryskiv, Neonila I. Korylchuk, Andriy L. Nadkevich METABOLIC THERAPY IN THE COMPLEX TREATMENT OF CHRONIC PANCREATITIS WITH STABLE CORONARY ARTERY DISEASE	2494
Olha M. Krekhovska-Lepiavko, Borys A. Lokay, Arsen A. Hudyma, Svitlana O. Yastremska, Oksana M. Yurchyshyn, Lyudmyla P. Mazur THE EFFECTS OF L-ORNITINE AND L-ARGININE ON THE PROCESSES OF LIPID PEROXIDATION IN THE FUNCTIONAL LAYERS OF KIDNEYS ON THE BACKGROUND OF ACUTE TOXIC HEPATITIS	2498
Anatoly A. Avramenko INFLUENCE OF SYSTEMATIC TAKING BLOCKERS OF H ₂ -HISTAMINE RECEPTORS ON THE DEGREE OF SEMINATION OF GASTRIC MUCOSA WITH <i>HELICOBACTER PYLORI</i> INFECTION OF PATIENT WITH CHRONIC NON – ATROPHIC GASTRITIS	2503
Ivanna V. Sakhandia, Rimma L. Skrypnyk, Kostyantyn L. Kosyachenko, Lena L. Davtian, Olena V. Welchinska, Alla V. Kabachna, Nataliia M. Kosyachenko THE METHOD OF FORECASTING AS AN IMPORTANT STAGE IN SOLVING THE PROBLEMS FACING HEALTH IN THE FIELD OF MEDICAL CARE OF THE POPULATION	2507
Yelyzaveta S. Sirchak, Silviya V. Patskun, Nelli V. Bedey DYNAMICS OF GASTRIN LEVEL IN PATIENTS WITH DIABETES MELLITUS 2 TYPE AND CHRONIC GASTRITIS AFTER <i>HELICOBACTER PYLORI</i> ERADICATION THERAPY	2512
Svitlana Palamar, Halyna Vaskivska, Liudmyla Nazarenko, Liudmyla Nezhyva, Iryna Korniienko, Serhii Terekhov PSYCHOCULTURAL TRAINING OF SENIOR PUPILS TO ADEQUELY PERCEIVE THE MEDIA SPACE CHALLENGES	2515
REVIEW ARTICLES	
Vitalii M. Pashkov, Maryna V. Trotska, Andrii O. Harkusha THE THEORETICAL AND LEGAL BASIS FOR ENVIRONMENTAL RISK AS A POSSIBLE MEASUREMENT OF HARM TO THE ENVIRONMENT AND HUMAN HEALTH	2523
Dagmara Wojtowicz, Anna Tomaszuk-Kazberuk, Jolanta Malyszko, Marek Kozirski HEMATURIA AND OTHER KINDS OF BLEEDINGS ON NON-VITAMIN K ANTAGONIST ORAL ANTICOAGULANTS IN PATIENTS WITH ATRIAL FIBRILLATION: AN UPDATED OVERVIEW ON OCCURRENCE, PATHOMECHANISMS AND MANAGEMENT	2528
Dmytro A. Samofalov, Nataliya V. Izhytska, Natalia M. Dragomyretska, Artem V. Lyashenko INFORMATION AND COMMUNICATION TECHNOLOGIES IN PUBLIC MANAGEMENT OF THE HEALTHCARE INSTITUTIONS NETWORK DURING COVID-19 PANDEMICS	2535
Marlena Kwiatkowska, Inga Chomicka, Jolanta Malyszko RHABDOMYOLYSIS – INDUCED ACUTE KIDNEY INJURY – AN UNDERESTIMATED PROBLEM	2543
Olha S. Bondarenko, Oleg M. Reznik, Mykhailo O. Dumchikov, Nadiia S. Horobets FEATURES OF CRIMINAL LIABILITY OF A MEDICAL PROFESSIONAL FOR FAILURE TO PERFORM OR IMPROPER PERFORMANCE OF THEIR PROFESSIONAL DUTIES IN UKRAINE	2549
CASE STUDY	
Pavel A. Dyachenko, Anatoly G. Dyachenko A CASE OF MRI-NEGATIVE HERPES VIRUS ENCEPHALITIS PRESENTED BY RAMSAY HUNT SYNDROME	2555

THE METHOD OF FORECASTING AS AN IMPORTANT STAGE IN SOLVING THE PROBLEMS FACING HEALTH IN THE FIELD OF MEDICAL CARE OF THE POPULATION

10.36740/WLek202011131

Ivanna V. Sakhanda¹, Rimma L. Skrypnyk¹, Kostyantyn L. Kosyachenko¹, Lena L. Davtian², Olena V. Welchinska¹, Alla V. Kabachna², Nataliia M. Kosyachenko³

¹BOGOMOLETS NATIONAL MEDICAL UNIVERSITY, KYIV, UKRAINE

²SHUPYK NATIONAL MEDICAL ACADEMY OF POSTGRADUATE EDUCATION, KYIV, UKRAINE

³ZHYTOMYR COLLEGE OF PHARMACY, ZHYTOMYR, UKRAINE

ABSTRACT

The aim: Of the work is to investigate and prove the effectiveness of medicinal products of plant origin for the treatment of cardiovascular diseases.

Materials and methods: Pharmaco-economic, social, medical demographic and statistical studies were studied. The study involved cardiologists, pharmacists, consumers of pharmacies and patients of cardiology departments.

Results: Forecasting the need for cardiac medicines in general, and in medicinal products of plant origin (MP PO), in particular, is increasing as the population, life expectancy, under the influence of socio-demographic factors, and, most importantly, the increase in the number of elderly people. When solving problems facing public health in the field of drug provision of the population, a regular analysis of the pharmaceutical market and a forecast of the need for medicines in the context of the pharmacotherapeutic group that is being studied are necessary. An important stage in the choice of forecasting methods is the possibility of attracting the required number of indicators, which is a characteristic of the normative method, whose accessibility and simplicity make it possible to use it by specialists who do not have special mathematical training at the level of medical and pharmaceutical organizations.

Conclusions: Prevention of diseases should be based on the implementation of government programs for prevention and promotion of health. This will improve and actively use methods of early detection of social and economic factors, which is a threat of development of diseases of the cardiovascular system.

KEY WORDS: medicinal products of plant origin, cardiovascular diseases, marketing research, demand forecasting

Wiad Lek. 2020;73(11):2507-2511

INTRODUCTION

At the stages of marketing research, the study of the assortment, the solvency of consumers should be conducted with the obligatory consideration of regional peculiarities, the real financial possibilities of the medical and preventive institution and the solvency of the population, as well as factors influencing the choice of the medicinal product by medical, pharmaceutical workers and the population [1, 2].

In the pharmaceutical market of Ukraine, MP PO dominated by drugs domestically, which significantly reduces the cost of therapy and makes many drugs affordable for the socially unprotected strata of the population [3].

A characteristic feature of the task of determining the need for highly effective medicinal products of plant origin is the presence of unpredictable factors affecting the complex system of formation and satisfaction of demand (the emergence of new medicines, different levels of doctors' awareness, educational work among the population, etc.) [4].

Taking into account the peculiarities of the current social and economic situation, the inadequacy of financial drug assistance at the expense of the state budget and the need

to address the problems of improving the organization of medicinal care for patients with cardiovascular pathology, we have forecasted the long-term demand for medicinal products of plant origin.

THE AIM

The aim of the work is to investigate and prove the effectiveness of medicinal products of plant origin for the treatment of cardiovascular diseases.

MATERIALS AND METHODS

Pharmaco-economic, social, medical demographic and statistical studies were studied. The study involved cardiologists, pharmacists, consumers of pharmacies and patients of cardiology departments.

RESULTS

The problem of reliability of providing consumers of medicinal products of plant origin directly depends on the creation of

Table I. Analysis of the frequency of medicinal products of plant origin for the treatment of cardiovascular disease (2006-2016)

Name of medicinal products of plant origin	The average price of the package (\$)	The number of appointments	Number of packages for the course of treatment (X)	n	K
Digoxin tablets 0,25 mg № 30	8-40	323	1	156	0,37
Digoxin, solution for injection 0,25 % - 1ml №10	28-20	20	1	71	0,17
Corglycon, solution for injection 0,06% - 1 ml № 10	21-20	335	1	53	0,13
Platyphyllini hydrotartras 0,2 % - 1 ml № 10	28-50	500	1	40	0,48
Papaverine hydrochloride 2 % - 2 ml № 10	20-20	1303	1	200	0,22
Strophantine D	22-20	200	1	32	0,08
Strophantine	21-20	10	1	15	0,04

an optimal stock of these medicines. WHO recommends the following approach: «The goal is to ensure that the size of the supply meets the demand, while the stock of medicines should be minimal, but to ensure that they are available in the event of an unexpected delay in delivery» [5].

An important stage in the choice of forecasting methods is the possibility of attracting the required number of indicators, which is a characteristic of the normative method, whose accessibility and simplicity make it possible to use it by specialists who do not have special mathematical training at the level of medical and pharmaceutical organizations.

The basis of this method is calculated norms of consumption of drugs, which reflect the characteristic properties and regularities of the normalized object. Calculation of the rate of consumption of drugs is based on the study of morbidity by nosological forms and the optimal set of drugs for the course of treatment, as well as the quantitative consumption of these drugs while being prescribed to the patient.

The advantage of this method is the ability to take into account changes in factors that affect the need. The most difficult problem of using the normative method is the considerable laboriousness of the development of norms, which requires the processing and analysis of large amounts of information.

The application of the normative method requires the calculation of the following indicators:

- forecast of the number of medicinal products of plant origin users;
- consumption intensity factors for each drug;
- consumption of each medicinal product for one year of use by one consumer.

Calculation of the need for drugs for the treatment of i-th nosology in the hospital in physical terms (in packages) for both outpatient and inpatient patients was carried out according to the formula:

$$N_{ij} = X_{ij} \text{ fact} \cdot I_{ij} \cdot E_i \quad (1),$$

where: N_{ij} – the need for the j-th drug in the i-th nosology;

i – disease nosology;

j – specific drug;

X_{ij} – an approximate norm of the need of j-drug for the course of treatment of one patient;

I_{ij} – intensity factor of the j-drug requirement;

E_i – expected number of patients in the i-clinical group.

According to the proposed methodology, we determined the long-term need in 2011-2017 years in medicinal products of plant origin. The consumption of this group of drugs is predictable, since most drugs are prescription drugs. This fact makes it possible to accurately take into account the number of consumers in polyclinics and hospital departments. The need is calculated separately for each drug name in both quantitative and summary terms. In sum, the need for a drug for a course of treatment for one patient was determined by the formula

$$S = N_{ij} \cdot C \quad (2),$$

where: N_{ij} – the need for medicinal product in quantitative terms;

C – the cost of medicinal product.

According to the scheme for determining the need for medicinal products of plant origin, it is necessary to know:

- the optimal assortment of medicinal products of plant origin;
- the amount of medicinal products of plant origin for one patient;
- the intensity of consumption of the medicinal product;
- the planned number of patients.

At the first stage, the intensity of consumption of drugs was calculated.

Calculation of the intensity of consumption, which was conducted on the basis of the study of letters of appointment in the history of the disease of cardiac patients of the cardiac dispensary. The intensity factor of consumption shows how often each specific medication is prescribed, in how many percentages of cases it is used, which part of consumers in total use this medication, and is calculated by the formula:

Table II. Calculation of hospital needs in medicinal products of plant origin which used to treat patients with cardiovascular pathology

Name of medicinal products of plant origin	Forecast needs for years					
	2015		2016		2017	
	absolute unit	sum	absolute unit	sum	absolute unit	sum
Digoxin tablets 0,25 mg № 30	333	2797-20	343	2881-20	353	2965-20
Digoxin, solution for injection 0,25 % - 1 ml № 10	21	592-20	22	620-40	23	648-60
Corglycon, solution for injection 0,06 % - 1 ml № 10	345	7314-00	355	7526-00	366	7759-20
Platyphyllini hydrotartras 0,2 % - 1 ml № 10	515	14677-50	530	15105-00	546	15561-00
Papaverine hydrochloride 2 % - 2 ml № 10	1342	26840-00	1382	27640-00	1423	28460-00
Strophantine D	2060	45732-00	2122	47108-40	2186	48529-20
Strophantine	21	233-20	12	254-40	13	275-60
Allapinin	149	54385-00	154	56210-00	159	58035-00
Total:		152570-90		157345-40		162233-80

$$I_{ij} = \frac{ni}{N} \quad (3),$$

where: I_{ij} – intensity factor of medicinal products of plant origin consumption;

n – the number of consumers who use the drug in this sample;

N – the total number of consumers in the sample ($N=420$ people) [6].

The results of the calculation of the intensity factors are given in Table 1.

Then based on the analysis of the patient's case histories, drug intake standards were determined (X_{ij} fact).

Recommendations for the obtained values X_{ij} fact as indicative of standards initially held their statistical processing on the coefficient of variation, which confirmed that the value of the average actual flow has little variation.

So the obtained values of X_{ij} fact can be used as an approximate standard and used to determine the need for medicines in the treatment of cardiovascular diseases. The expected number of patients was determined by the method of average geometric parameters according to statistical data for the period 2011-2016:

$$T_2 = \frac{B_3}{B_2} \quad (4)$$

$$T_{cp} = \sqrt[n]{T_1 * T_2 * T_3 * T_4 * T_5} \quad (5),$$

where: $B_1, B_2...B_5$ – the number of patients with cardiovascular diseases for the first, second ... the 5th considered years in this hospital;

T_{cp} (middle) – average growth rate.

The expected (planned) number of patients is determined by the formula:

$$B_i = B_3 * T_{middle} \quad (6),$$

where: B_i – expected number of cardiac patients;
 B_3 – number of patients in the pre-planning period;
 T_{mid} – average growth rate.

According to statistical data, the number of patients treated in the planned hospitals for the period 2006-2016 was:

- 2011 year – 2630 people;
- 2012 year – 2560 people;
- 2013 year – 2631 people;
- 2014 year – 2664 people;
- 2015 year – 2690 people;
- 2016 year – 2720 people.

From 2011 to 2016, the number of patients treated was steadily increasing.

The increase in morbidity, which occurs, we associate with the increase in the proportion of older age groups in the total population of the country. We calculated the expected number of patients with this pathology for city hospitals [7].

Next the calculation of the need for each medicinal products of plant origin over the period 2015-2017 was carried out. The calculation took into account the period of treatment of 1 patient – 21 days. The results of the calculation are shown in Table 2.

DISCUSSION

The educational goals of this study are fully achieved. The results of our work are original. The article has prospects for further study of cardiac drugs of plant origin. Health forecasting is a dynamic process and requires frequent updates. This can be done with novel techniques and data, taking into consideration the principles of health forecasting. The methodologies currently used involve time series analyses with smoothing or moving average models.

The horizons of health forecasting are important but not classified in the literature, and so the approaches used to forecasting various horizons have no common benchmarks to guide new health forecasts. Health forecasting is a valuable resource for enhancing and promoting health services provision; but it also has a number of drawbacks, which are related either to the data source, methodology or technology. This overview is presented to stimulate further discussions on standardizing health forecasting approaches and methods, so that it can be used as a tool to facilitate health care and health services delivery [1].

The activities which form an established part of the program of health departments and nonofficial health agencies are directed in relatively small degree to health supervision of persons of middle and old age.

This limitation is a natural consequence of the traditional restriction of public health services to those involved in the control of preventable disease. Thus, the changing age structure of the population may be expected to produce effects opposite in nature on public health and medical services.

Finally, an important approach to the solution of this broad problem is offered through the extension of research in the cause and control of the chronic diseases characteristic of advanced life. Effective control of certain of these diseases is in part dependent on the demonstration of the etiologic agents involved.

Opportunity should be provided for the appraisal of existing methods of diagnosis and treatment, and the exploration of new procedures designed to bring the chronic diseases under early control. But an equally fruitful field of research consists in the development of public health methods which will solve the unique problems involved in coordinating the control of the chronic diseases in the community health program [1, 2].

CONCLUSIONS

1. Economic evaluation, together with studies of clinical effectiveness, allows a more rational allocation of available resources. Unfortunately, it should be noted that the low demand for pharmacoeconomic analysis results does not yet allow the full redistribution of the financial flow of budget funds to the full extent. In this regard, special attention should be paid to the profitability of the drug from the «cost-minimization» position, which should be evaluated in a comprehensive manner, taking into account the cost of inpatient and outpatient care.
2. The system of measures to improve the organization and improve the quality of therapeutic care for the population should include organizational and methodological issues of providing and managing the quality of medical care and drug provision.
3. The most important place in reforming the industry should be allocated to improving the outpatient and polyclinic service are increasing the efficiency of using material and human resources, introducing new progressive forms of work into practice.
4. The solution of these problems is determined by the wide introduction of fairly simple and massive measures to improve the living environment, the implementation of preventive measures to prevent the realization of the risk of developing cardiovascular diseases, giving the maximum results at minimum costs.
5. In the present conditions, it is important to standardize the structure, types and volumes of treatment and rehabilitation activities, technologies and results, and the functioning of the system of medical and social care institutions for patients.
6. Prevention of diseases should be based on the implementation of government programs for prevention and promotion of health. This will improve and actively use methods of early detection of social and economic factors, which is a threat of development of diseases of the cardiovascular system.

REFERENCES

1. Conti A., Paladini B., Magazzini S. et al. Comparative cost of chest pain unit versus coronary care unit management of acute coronary syndromes without ST-segment elevation. *Eur. Heart J.* 2010;6:716-731.
2. Drummond M.F., O'Brien B., Stoddart K. Methods for the economic evaluation of health care programmes. 2012;78(2):92-116.
3. Apazov A.D. Legislative and economic foundations for the formation of a civilized pharmaceutical market. *New pharmacy.* 2011;12:9-12.
4. Gromovik B.P. Characteristics of the main methods of determining the competitiveness of medicines. *Pharmaceutical Journal.* 2012;3:7-11.
5. Zaliska O.M. Pharmacoeconomics: theory and practice. *Pharmaceutical Journal.* 2010;2:10-16.
6. Sakhanda I.V., Kosyachenko K.L. Assortment of herbal medicines of the treatment of cardiovascular diseases. *Wiadomości Lekarskie.* 2018;LXXI (5):1104-1108.
7. Sakhanda I.V. Analysis of assortment of phytopreparations in Ukraine. *Harkiv:* 2017: 46-49.

This work was carried out in the framework of the research work «Organizational and technological research of medicinal and cosmetic products» (registration number № 0114U001826).

ORCID and contributionship:

*Ivanna V. Sakhanda: 0000-0003-4171-5160^{A, B, D, F}
 Rimma L. Skrypnyk: 0000-0002-3393-4649^{A, C, F}
 Kostyantyn L. Kosyachenko: 0000-0002-0472-2196^{A, C, F}
 Lena L. Davtian: 0000-0001-7827-2418^{A, D, F}
 Olena V. Welchinska: 0000-0001-7023-8493^{C, E}
 Alla V. Kabachna: 0000-0002-5809-5298^{A, E, F}
 Nataliia M. Kosyachenko: 0000-0002-0496-6908^{B, E}*

Conflict of interest:

The Authors declare no conflict of interest.

CORRESPONDING AUTHOR

Ivanna V. Sakhanda

Bogomolets National Medical University

13 Tarasa Shevchenko boulevard, 01601 Kyiv, Ukraine

tel: +380991943687

e-mail: sahandavanna@ukr.net

Received: 01.11.2019

Accepted: 14.07.2020

A – Work concept and design, **B** – Data collection and analysis, **C** – Responsibility for statistical analysis,

D – Writing the article, **E** – Critical review, **F** – Final approval of the article